

**To:** Ingram, Philip[ingram.philip@epa.gov]  
**From:** Wise, Robert  
**Sent:** Mon 6/20/2016 11:24:18 PM  
**Subject:** Re: TDD Amendment: 1302-T2-R9-16-06-0001-A (Fruitland Magnesium Fire Incident)

Thanks

Sent from my iPhone

On Jun 20, 2016, at 4:19 PM, Ingram, Philip <ingram.philip@epa.gov> wrote:

This email authorizes the work under the attached amendment and the increase in the TDD ceiling by \$80,939.95 to a new ceiling of \$149,280.55.

The actual TDD amendment is delayed in the EAS system, and will be released as soon as possible.

Thank you

**From:** Albizu, Ramon  
**Sent:** Monday, June 20, 2016 2:45 PM  
**To:** Wise, Robert <Wise.Robert@epa.gov>  
**Cc:** Ingram, Philip <ingram.philip@epa.gov>; DeFao, Joseph <Joe.DeFao@WestonSolutions.com>; Richard Mehl <rick.mehl@westonsolutions.com>; 'Henricks, Lisa' <Lisa.Henricks@WestonSolutions.com>; DeHoyos, Melissa <Melissa.DeHoyos@WestonSolutions.com>  
**Subject:** TDD Amendment: 1302-T2-R9-16-06-0001-A (Fruitland Magnesium Fire Incident)

Hi Rob,

Attached is a copy of the TDD for your records. Please note that this action is not final until released by the CO. Let me know if you have any questions.

Thanks,

**Ramon D. Albizu**, START 4 PO (Contract-Level COR) / RTFL

Emergency Response Preparedness and Prevention Branch  
Superfund Division | U.S. Environmental Protection Agency, Region IX (SFD-9-4)  
75 Hawthorne Street | San Francisco, CA 94105  
[albizu.ramon@epa.gov](mailto:albizu.ramon@epa.gov) | (415) 972-3091

Mobile (415) 515-9569

<Fruitland Magnesium Fire Incident\_TDD\_Wisc\_Amd A.pdf>